




Seohan-NTK Driveshaft USA CORP.



INA RABRB20/52-FA106 Ball Insert Bearings

Bearing No. RABRB20/52-FA106

Size	20x52.3x32.3 mm
Bore Diameter	20 mm
Outer Diameter	52,3 mm
Width	32,3 mm
d	20 mm
D	52,3 mm
B ₂	32,3 mm
B ₁	31 mm
C	17,6 mm
D ₂	39 mm
d _{3 max}	33 mm
S ₁	23,5 mm
- / Temperature -20 ° C to +85 ° C	/ Temperature 20 ° C to +85 ° C
m	0,2 kg / Weight
	70 ° / Rubber ring: hardness, Shore A
C _g	1160 N / Rubber ring: load carrying capacity
C _r	13600 N / Dynamic load rating (radial)
C _{0r}	6600 N / Static load rating (radial)
- RABR47/52-AH01 / Designation of rubber interliner	RABR47/52AH01 / Designation of rubber interliner
- RAE20-NPP-B-FA106 / Designation bearing	RAE20NPPBFA106 / Designation bearing

RABRB20/52-FA106 Bearing 2D drawings and 3D CAD models



Seohan-NTK Driveshaft USA CORP.

Category	Insert Bearings Spherical OD
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	0.204
Product Group	M06110
Inner Race Profile	Narrow Inner Ring
Outer Race Profile	Spherical
Relubricatable	No
Seal Type	Double Lip Contact
Mounting Method	Eccentric Collar
Rolling Element	Ball Bearing
Snap Ring	No
Long Description	20MM Bore; Narrow Inner Ring; Ball Bearing; 31MM Length Thru Bore; 0MM Outer Race Width; 52.3MM Outside Diameter; Not Relubricatable; Double Lip Contact Seal; Eccentric Collar Mounting Method; No Snap
Inch - Metric	Metric
Other Features	Single Row With Inter Liner Metric
Category	Insert Bearings
UNSPSC	31171536
Harmonized Tariff Code	8482.10.50.00
Noun	Bearing
Keyword String	Insert
Manufacturer URL	http://www.ina.com
Manufacturer Item Number	RABR-B20/52FA106
Weight / LBS	0.441
Length Thru Bore	1.22 Inch 31 Millimeter



Seohan-NTK Driveshaft USA CORP.

Outer Race Width	0 Inch 0 Millimeter
Bore	0.787 Inch 20 Millimeter
Outside Diameter	2.059 Inch 52.3 Millimeter